

# Limited Evaluation Cooperative Co-evolutionary Differential Evolution for Large-scale Neuroevolution

Anil Yaman  
Eindhoven University of Technology  
Eindhoven, The Netherlands  
a.yaman@tue.nl

Decebal Constantin Mocanu  
Eindhoven University of Technology  
Eindhoven, The Netherlands  
d.c.mocanu@tue.nl

Giovanni Iacca  
University of Trento  
Trento, Italy  
giovanni.iacca@gmail.com

George Fletcher  
Eindhoven University of Technology  
Eindhoven, The Netherlands  
g.h.l.fletcher@tue.nl

Mykola Pechenizkiy  
Eindhoven University of Technology  
Eindhoven, The Netherlands  
m.pechenizkiy@tue.nl

## ABSTRACT

Many real-world control and classification tasks involve a large number of features. When artificial neural networks (ANNs) are used for modeling these tasks, the network architectures tend to be large. Neuroevolution is an effective approach for optimizing ANNs; however, there are two bottlenecks that make their application challenging in case of high-dimensional networks using direct encoding. First, classic evolutionary algorithms tend not to scale well for searching large parameter spaces; second, the network evaluation over a large number of training instances is in general time-consuming. In this work, we propose an approach called the *Limited Evaluation Cooperative Co-evolutionary Differential Evolution algorithm (LECCDE)* to optimize high-dimensional neural networks.

The proposed method aims to optimize the pre-synaptic weights of each post-synaptic neuron in different subpopulations using Cooperative Co-evolutionary Differential Evolution algorithm, and employs a limited evaluation scheme where fitness evaluation is performed on a relatively small number of training instances based on fitness inheritance. We test LECCDE on three datasets with various sizes, and our results show that cooperative co-evolution significantly improves the test error comparing to standard Differential Evolution, while the limited evaluation scheme facilitates a significant reduction in computing time.

### ACM Reference Format:

Anil Yaman, Decebal Constantin Mocanu, Giovanni Iacca, George Fletcher, and Mykola Pechenizkiy. 2018. Limited Evaluation Cooperative Co-evolutionary Differential Evolution for Large-scale Neuroevolution. In *Proceedings of the Genetic and Evolutionary Computation Conference 2018 (GECCO '18)*. ACM, New York, NY, USA, 9 pages. <https://doi.org/10.1145/nnnnnnn.nnnnnnn>

## 1 INTRODUCTION

Scaling artificial neural networks (ANNs) up to solve large complex problems achieved a big success in various machine learning

problems. The stochastic gradient descent (SGD) algorithm is a conventional method for training artificial neural networks (ANNs) [3]. An alternative approach, Neuroevolution (NE) [7], employs evolutionary algorithms to optimize the topology and/or weights of the ANNs. The NE algorithms do not require the gradient information, and perform remarkably well in optimizing ANNs based on the direct interaction with their environment; specifically, in the cases where good decision instances are noisy or not known for supervised learning [7, 34].

There are mainly two types of NE approaches: direct and indirect encoding [7]. Direct encoding aims to evolve the network parameters directly representing them within the genotype of the individuals; whereas, indirect encoding aims to evolve the specifications to define the developmental process of an ANN represented within the genotype. The indirect encoding methods can help improving the scalability of the evolutionary process for large networks, since they can reduce the parameter size. On the other hand, the NE with direct encoding presents a challenging opportunity for stimulating the research in large-scale optimization, but also contributes in understanding the evolutionary dynamics of artificial neural networks.

The task of evolving direct-encoded large networks is challenging due to 1) the scalability of the evolutionary methods to perform the optimization process efficiently on high-dimensional search spaces, and 2) the time requirement for evaluating the individuals on a large number of training instances. The Cooperative Co-evolution (CC) is an effective approach for optimizing large-scale problems [24]; and the Limited Evaluation (LE) is an advantageous method for reducing the number of instances of fitness evaluations [21]. In this work, we propose a *Limited Evaluation Cooperative Co-evolutionary Differential Evolution (LECCDE)* algorithm that employs the CC and LE approaches to perform accelerated evolution in optimizing high-dimensional artificial neural networks with direct encoding.

With respect to the previous works, the work presented in this paper contributes as follows: 1) it considers the post-synaptic neurons as the building blocks of an ANN, and performs the subcomponent decomposition of the CC scheme by assigning the pre-synaptic weights of each post-synaptic neuron to a subpopulation; 2) it demonstrates the effectiveness of the CC in optimizing large-scale ANNs, and compares with the standard differential evolution (DE) optimization; 3) it shows that the LE scheme enhanced with the CC achieves better accuracy results than standard DE for evolving

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).  
GECCO '18, July 15–19, 2018, Kyoto, Japan  
© 2018 Copyright held by the owner/author(s).  
ACM ISBN 978-x-xxxx-xxxx-x/YY/MM.  
<https://doi.org/10.1145/nnnnnnn.nnnnnnn>

large networks, while reducing the time required for the fitness evaluation.

Three datasets were chosen to evaluate the performance of the proposed algorithm on supervised learning tasks. We used a fully connected feed forward ANNs with one hidden layer, with a total number of parameters in the order of thousands. We refer to these ANNs as “large-scale” in the sense of Neuroevolution with direct encoding, and to distinguish them from the specialized networks used in Deep Learning (DL) approaches [15].

The rest of the paper is organized as follows: in Section 2, we provide the background knowledge and a brief literature review on the topics of Differential Evolution, Cooperative Co-evolution, and Neuroevolution; in Section 3, we discuss the proposed algorithm in detail; in Section 4, we present the experimental setup; in Section 5, we provide the numerical results; and finally, in Section 6, we discuss the conclusions.

## 2 RELATED WORK

In this section, we provide a brief overview of the background and related work on Differential Evolution, Cooperative Co-evolution, and Neuroevolution.

### 2.1 Differential Evolution

The Differential Evolution algorithm (DE) is a powerful yet simple population-based search algorithm for continuous optimization [32]. A candidate solution set consists of  $NP$  individuals represented as  $D$ -dimensional real-valued vectors  $x_i \in \mathbb{R}^D$  where integer  $i \in [1, NP]$ . An initial population of individuals is randomly sampled from the domain ranges of each dimension  $x_{i,j}^{min}$  and  $x_{i,j}^{max}$  where  $x_{i,j}$  is the  $j$ th dimension of  $i$ th individual.

In each generation  $g$ , an individual  $x_i^g$ ,  $\forall i \in (1, 2, \dots, NP)$ , called the *target vector*, is selected. The *mutation* and *crossover* operators are applied to generate a *trial vector*  $u^g$ . The trial vector is evaluated, and replaced with the target vector by the *selection operator*, if the fitness value of the trial vector is greater than or equal to the target vector.

The mutation operator generates a *mutant vector*  $v_i^g$  by perturbing a randomly selected vector using the scaled differences of the other two randomly selected vectors. The magnitude of the perturbation is controlled by the parameter called *scale factor* ( $F$ ). This strategy is referred to as the “*rand/1*” strategy, and is provided by the following equation to:

$$v_i^g = x_{r_1}^g + F \cdot (x_{r_2}^g - x_{r_3}^g) \quad (1)$$

where  $r_1, r_2$ , and  $r_3$  are mutually exclusive integers different from  $i$ , and selected randomly from the range of  $[1, NP]$ . There are various alternative mutation strategies proposed in the literature [5, 22].

The crossover operator recombines the target vector with the mutant vector, controlled by the parameter called *crossover rate* ( $CR$ ). The *binomial (uniform)* and *exponential* crossover operators are the two most commonly used crossover operators [25]. The binomial crossover operator is provided in Equation (2):

$$u_{i,j}^g = \begin{cases} v_{i,j}^g, & \text{if } \text{rand}([0, 1]) \leq CR \text{ or } j = \text{randi}([1, D]); \\ x_{i,j}^g, & \text{otherwise.} \end{cases} \quad (2)$$

where integer  $j \in [1, D]$  refers to the  $j$ th dimension of the vectors, functions *rand()* and *randi()* uniformly samples real and integer values within the specified ranges respectively.

The selection operator performs a comparison of the fitness values of the target and trial vectors, and replaces the target vector with the trial vector in the next generation if a better fitness value is achieved by the trial vector. This is referred to as *synchronous* update, since the replacements are performed at the end of the generation when the process for all individuals is complete. The *asynchronous* version of the update is implemented by performing the replacement immediately within the same generation. The asynchronous update allows a newly replaced trial vector to be used by other individuals within the same generation.

The settings of the parameters in Differential Evolution plays an influential role in the behavior of the algorithm for balancing the trade-off between the exploration and exploitation [4, 22]. A recent survey by Karafotias *et al.* reviewed the approaches for parameter tuning and control in evolutionary algorithms [12]. Neri and Tirronen surveyed the existing works in the literature and performed and empirical analysis of the strategies and parameters in DE; more recently, Das *et al.* reviewed the works in the literature on the self-adaptive parameter control in DE [5].

### 2.2 Cooperative Co-evolution

While the dimensionality of a problem increases, the performance of the evolutionary algorithms tend to decrease [17, 18]. The Cooperative Co-evolutionary (CC) schemes were proposed for scaling evolutionary algorithms (EAs) to higher dimensions using a divide-and-conquer strategy. In the CC, the subcomponents of a large-scale problem is decomposed and assigned to a number of subpopulations, that are evolved separately [24]. Cooperation in co-evolution arises during the fitness evaluation, where the subcomponents are merged together to assign a global fitness score to a candidate solution.

The three aspects that play a key role in CC are *problem decomposition*, *subcomponent evolution*, and *subcomponent co-adaptation* [36]. The maximum number of subpopulations can be generated by splitting a  $D$ -dimensional problem into  $D$  subgroups, assigning each subcomponent (dimension) to one subpopulation. Alternatively, the number of subcomponents in each subpopulation can be chosen arbitrarily to make the evolutionary optimization process manageable by reducing the dimensionality per subgroup. However, an arbitrary assignment of subcomponents may not be effective for solving non-separable problems. Ideally, the problem should be decomposed in a way that the interdependency between the subcomponents in different subpopulations should be minimized.

The existing knowledge about the problem domain can be beneficial in the problem decomposition process. If the interdependencies of the subcomponents are known, the problem can be decomposed based on this knowledge. This also relates to the separability property of the problem. If the problem is separable, then the problem can be decomposed into its separable subcomponents. If there is no/uncertain knowledge of the problem domain, then automated methods can be used to identify the interactions of the subcomponents [23, 33].

The subcomponent evolution can be performed by using various kinds of evolutionary algorithms [18], including Differential Evolution [28].

### 2.3 Neuroevolution

Artificial Neural Networks are computational models that are inspired by the central nervous system [6]. Neuroevolution is a field that aims to optimize ANNs by using evolutionary computing methods [7]. *Direct* and *indirect encoding* methods are suggested for the Neuroevolution. In direct encoding, the network parameters are evolved directly by representing them within the genotype of the individuals. In indirect encoding, a set of developmental rules that specify how the networks are constructed is represented in the genotype, and used for the evolutionary process.

One of the first examples of the direct encoding approaches evolved the connection weights of the networks with fixed topologies. The genotype of the individuals are represented as a concatenation of the present connection weights, i.e. a binary string or a real-valued vector, depending on the type of the evolutionary algorithm [8, 35].

Neuroevolution of Augmenting Topologies (NEAT) is proposed to evolve both the topology and the weights of the networks [31]. The approach starts with minimal networks and incrementally grow larger networks through the evolutionary process. NEAT uses a *global innovation counter* to keep track of the history of changes, and to align the networks to generate more meaningful offspring as a result of the crossover operator.

Some of the works incorporate the cooperative co-evolution scheme within Neuroevolution. The Symbiotic Adaptive Neuroevolution (SANE) evolves two separate populations, one for neurons and another for the network “blueprints”. The evolved network blueprints are used to determine which combinations of the neurons to use from the neuron population to generate a network [20]. The Enforced SubPopulations (ESP) initiates a subpopulation for each neuron, and the genotype of these neurons encode the weights for incoming, outgoing and bias connections [10]; Cooperative Synapse Neuroevolution (CoSyNE) initiates a subpopulation for each connection [9].

The indirect NE methods can help scaling evolutionary approaches for evolving large networks. Kitano [13] in his seminal work suggested a grammatical graph encoding method, based on graph rewriting rules represented as individuals’ genotypes, to evolve the connectivity matrix of ANNs. Koutnik *et al.*, proposed using lossy compression techniques to reduce the high-dimensional parameters of the networks by transforming their parameters to the frequency domain using transformation functions such as the Fourier Transform and the Discrete Cosine Transform. In this case the evolutionary process is performed on a few significant coefficients on the frequency domain [14]. Grau suggested a developmental method that evolves tree-structured programs to specify the instructions to grow artificial neural networks based on cell division and differentiation[11]. Stanley *et al.*, proposed a Hypercube-Based Encoding method that uses Compositional Pattern Producing Networks (CPPNs) to assign the connection weights between neurons as a function of their locations[29, 30].

The ANN architectures used in Deep Learning are often engineered for certain tasks in computer vision and signal processing[15]. In this case the connection weights are typically trained using the back propagation. On the other hand, there are hyper-parameters for specifying the architecture and learning algorithms that play a role in the performance of network; thus, deep Neuroevolution approaches have been suggested for optimizing the hyper-parameters of the deep neural networks efficiently [19, 26]. Some recent work focuses on scalable evolutionary approaches for optimizing the connection weights of the networks. Salimans *et al.*, used Evolution Strategies (ES) to optimize the connection weights of the Convolutional Neural Networks (CNNs) for reinforcement learning in MuJoCo and Atari environments [27]. The CNNs are a specific type of large ANN topologies that are specifically designed for image processing/recognition tasks in deep learning. Zhang *et al.*, compared the ES proposed by Slimans *et al.* with the stochastic gradient descent for training CNNs on a large handwritten digit dataset, MNIST, and showed that the ES can achieve %99 accuracy [37].

Another scalability challenge for the NE is the fitness evaluation that can be computationally expensive, especially when there are large numbers of training instances to evaluate. Morse and Stanley proposed an approach called *Limited Evaluation Evolutionary Algorithm (LEEA)*, inspired by the batch training in the Stochastic Gradient Descent (SGD) algorithm. The LEEA performs fitness evaluations over a small number of training instances (batches), and uses accumulated fitness values that are inherited from the parent generation to the offspring generation between batches [21]. We adopt the LEEA approach in our algorithm, and discuss the approach in more detail in Section 3.

## 3 THE PROPOSED ALGORITHM

The implementation details of the Limited Evaluation Cooperative Co-evolutionary Differential Evolution algorithm are given in Algorithm 1. The algorithm is composed of the cooperative co-evolution and limited evaluation schemes to decompose a large-scale continuous optimization task, and speed up the fitness evaluation process.

The cooperative co-evolution scheme in LECCDE uses a heuristic to decompose the parameters of a high-dimensional ANN, i.e. the post-synaptic neurons are assumed to be the building blocks of the ANN, and are decomposed into subpopulations and evolved separately. Thus, the algorithm initiates *SP* subpopulations for each post-synaptic neuron, where each subpopulation consists of *NP* individuals. Each individual represents the pre-synaptic connection weights (for a graphical description of this concept, please see Appendix A).

From the *SP* subpopulations that contain *NP* of individuals, there are  $NP^{SP}$  ANNs that can be constructed. To find the average fitness of each individual, all possible network combinations need to be evaluated. Since this number is quite large, we randomly sample  $trial \times NP$  times an individual from each subpopulation, construct a global network, evaluate it, and add the fitness value of the network to the fitness values of each individual that was part of the network [9]. At the end of this procedure, the fitness value of each individual is normalized to find the average fitness value, dividing by the number of time each individual is selected. The individual with the maximum fitness from each subpopulation is then selected to

**Algorithm 1** LECCDE

---

```

1: procedure LECCDE( $NP, F, CR$ )
2:   Initialize  $NP$  individuals in each subpopulation  $P_i, i \in (1, SP)$ 
3:   Initialize  $Ft_{i,j} \leftarrow 0$   $\triangleright$  Fitness of the  $j$ th individual in the  $i$ th subpopulation
4:   for  $c = 1$  to  $trial \times NP$  do
5:     Select a random individual  $x_{i,r_1}$  from each  $P_i \triangleright r_j$  is a randomly generated integer index
6:      $X \leftarrow \{x_{1,r_1}, x_{2,r_2}, \dots, x_{SP,r_{SP}}\}$ 
7:      $Ft_X \leftarrow evaluate(X, b_1)$   $\triangleright b_1$  is the first batch
8:      $\forall x_i \in X, Ft_{i,j} \leftarrow Ft_{i,j} + Ft_X$ 
9:   end for
10:   $\forall i \in (1, SP)$  and  $j \in (1, NP), Ft_{i,j} \leftarrow normalize(Ft_{i,j})$ 
11:   $X \leftarrow \{x_{1,max}, x_{2,max}, \dots, x_{SP,max}\}$ 
12:   $Ft_{validation} \leftarrow evaluate(X, ValidationSet)$ 
13:   $bestValidation \leftarrow Ft_{validation}$ 
14:   $bestNetwork \leftarrow X$ 
15:  while termination criterion is not satisfied do
16:    for each  $b_k \in Batches$  do
17:      for each subpopulation  $P_i$  do
18:         $P'_i \leftarrow P_i$ 
19:         $Ft'_i \leftarrow Ft_i$ 
20:        for each  $x_{i,j} \in P_i$  do
21:           $X_i \leftarrow x_{i,j}$ 
22:           $Ft_X \leftarrow evaluate(X, b_k)$ 
23:           $Ft'_X \leftarrow Ft_{i,j} \cdot (1 - decay) + Ft_X$ 
24:           $v \leftarrow mutate(x_{i,r_1}, x_{i,r_2}, x_{i,r_3}, F)$ 
25:           $Ft_v \leftarrow (Ft_{i,r_1} + Ft_{i,r_2} + Ft_{i,r_3}) / 3$ 
26:           $u \leftarrow crossover(x_{i,j}, v, CR)$ 
27:           $X_i \leftarrow u$ 
28:           $Ft_u \leftarrow evaluate(X, b_k)$ 
29:           $Ft'_u \leftarrow ((Ft_{i,j} + Ft_v) / 2) \cdot (1 - decay) + Ft_u$ 
30:          if  $Ft'_u > Ft'_X$  then
31:             $P'_{i,j} \leftarrow u$ 
32:             $Ft'_{i,j} \leftarrow Ft'_u$ 
33:          else
34:             $P'_{i,j} \leftarrow x_{i,j}$ 
35:             $Ft'_{i,j} \leftarrow Ft'_X$ 
36:          end if
37:        end for
38:         $P_i \leftarrow P'_i$ 
39:         $Ft_i \leftarrow Ft'_i$ 
40:         $X_i \leftarrow x_{i,max}$ 
41:         $Ft_{validation} \leftarrow evaluate(X, ValidationSet)$ 
42:        if  $Ft_{validation} > bestValidation$  then
43:           $bestNetwork \leftarrow X$ 
44:           $bestValidation \leftarrow Ft_{validation}$ 
45:        end if
46:      end for
47:    end for
48:  end while
49: end procedure

```

---

construct the global ANN solution  $X$ . Finally, the performance of the global solution on the validation instances is found by evaluating  $X$  on the validation set.

The main loop of the algorithm iterates over all the batches. A *batch* is a small subset of the training instances used in the Limited Evaluation scheme [21]. In particular,  $TrainingSize / BatchSize$  batches are generated by randomly assigning each training instance to a batch.

The fitness score of the target vector on the current batch is found by replacing it within its corresponding part in the global solution, and evaluating the global solution on the current batch. Subsequently, the fitness of the target vector is adjusted using the *asexual* reproduction rule (see Appendix A.2).

The fitness of the trial vector is computed in a similar fashion, by first replacing its corresponding part within the global solution, and then evaluating the global solution on the current batch. Since the mutant vector is composed of three randomly selected individuals  $\{x_{i,r_1}, x_{i,r_2}, x_{i,r_3}\}$ , the fitness value of the mutant vector is computed by taking their average. The fitness value of the trial vector is found using the *sexual* reproduction rule (see Appendix A.2).

The selection operator copies the trial vector and its fitness to a temporary set if its fitness value is greater than or equal to the fitness value of the target vector; otherwise, the target value and its fitness are copied. After all the computations are completed for all individuals in the subpopulation, the subpopulation is updated simultaneously by copying back the individuals and their fitnesses from the temporary sets.

After each subpopulation update, the individual with the highest fitness value in the subpopulation is copied back to the corresponding part of the global solution  $X$ . The global solution is evaluated on the validation set, and the one that performed the best is stored and provided as a the final result of the algorithm.

## 4 EXPERIMENTAL SETUP

Our experimental setup is designed to focus on the following questions:

- (1) Do the ANNs that are evolved using the Cooperative Co-evolution Differential Evolution algorithm with our subpopulation assignment heuristic achieve a better classification accuracy than the ANNs that are evolved by the standard Differential Evolution algorithm?
- (2) Does the Limited Evaluation scheme applied to Differential Evolution reduce the runtime of the algorithm, without decreasing the classification accuracy of the evolved ANNs?

To answer these questions, we compare the results of the ANNs optimized by four algorithms on three datasets with various sizes. These algorithms are Differential Evolution, Limited Evolution Differential Evolution, Cooperative Co-evolutionary Differential Evolution, and Limited Evolution Cooperative Co-evolutionary Differential Evolution, in the following referred to as DE, LEDE, CCDE, and LECCDE respectively. The details for the implementation of the LECCDE are given in Algorithm 1. The CCDE and LEDE are implemented in a similar way, but, without the batch loop and the subpopulations, respectively. In standard DE, both batch training and subpopulations are not used. The Limited Evaluation algorithms

**Table 1: The specifications of the datasets used in the experiments.**

Datasets	Features	Classes	Instances	Parameters
WBC	30	2	569	1652
ESR	178	2	4600	9052
HAR	561	6	7144	28406

require two evaluation per generation (target and trial vectors are evaluated on the current batch), while the algorithms without Limited Evaluation require one evaluation per generation. Regardless of this fact, the algorithms were run for the same number of function evaluations (FEs) for each dataset. For all experiments, we used “*rand/1/bin*” (“*rand/1*” mutation with *binomial* crossover) strategy with empirically fixed the parameter settings of *F* and *CR* to 0.1 and 0.3, respectively. We used 20 individuals for the population size, except for one experiment that we performed on a larger population size consisting 100 individuals (see below).

The three datasets used in the test process are listed in Table 1. These datasets were obtained from the Center for Machine Learning and Intelligent Systems dataset repository [16]. These datasets were chosen based on their number of features and instances, to show the relative performance of the algorithms in respect to the size of the dataset used. The Wisconsin breast cancer (WBC) dataset consists of 30 features, 2 classes, and 569 instances, the epileptic seizure recognition (ESR) consists of 178 features, 2 classes, and 4600 instances<sup>1</sup>, and the human activity recognition (HAR) dataset consists of 561 features, 6 classes, and 7144 instances [2]. The instances in each dataset were split into three groups (training, validation, and test) with ratios 70%, 15%, and 15% respectively. The fitness evaluations and selection process were performed on the train instances. The network that performs the best on the validation set is provided as the output of the algorithm, and evaluated on the test set. The fitness evaluation is based on the classification accuracy of the ANNs which is calculated by the number of correctly classified instances divided by the total number of instances.

For all datasets, we used fixed-topology fully-connected feed forward artificial neural networks with one hidden layer to perform the classification task (see Appendix A). The number of neurons within the hidden layer was kept constant at 50 for all ANNs evolved for all datasets. Based on the architecture of the ANNs and the number of features in the datasets, the total number of parameters evolved are 1652, 9052, and 28406 for the WBC, ESR, and HAR respectively.

We used a batch size of 100 instances for the WBC, 500 for the ESR, and 500 for the HAR. The decay value (see Appendix A.2) is set to 0.2, as suggested by Morse and Stanley [21]. The maximum number of function evaluations was set to 50000 for the WBC, 300000 for the ESR, and 500000 for the HAR, based on the number of their parameters.

<sup>1</sup>The original epileptic seizure recognition dataset [1] consists of 5 classes (first class for the measurements of the patients who had epileptic seizure and the remaining 4 classes for the measurements of the patients who did not have epileptic seizure), and 11500 instances (2300 for each class). To reduce the complexity of the task we took only the instances from the first and second classes with 2300 instances from each, thus considering 4600 instances in total.

**Table 2: The median of the accuracy results of the ANNs evolved using four variants of DEs on the WBC dataset.**

Alg.	Train	Validation	Test	Runtime
DE	94.74 ± 2.2	97.65 ± 0.8	95.29 ± 2.2	2.12 × <i>t</i>
LEDE	95.99 ± 1.2	98.82 ± 0.6	95.29 ± 2.3	1.43 × <i>t</i>
CCDE	96.49 ± 1.3	97.65 ± 0.8	96.47 ± 1.8	1.10 × <i>t</i>
LECCDE	96.24 ± 1.9	97.65 ± 0.8	95.29 ± 2.8	<i>t</i>

**Table 3: The median of the accuracy results of the ANNs evolved using four variants of DEs on the ESR dataset.**

Alg.	Train	Validation	Test	Runtime
DE	90.50 ± 1.3	89.86 ± 1.2	89.57 ± 1.7	2.66 × <i>t</i>
LEDE	92.86 ± 0.9	92.25 ± 0.8	91.30 ± 0.9	1.26 × <i>t</i>
CCDE	93.94 ± 0.8	93.33 ± 0.3	92.17 ± 0.9	2.05 × <i>t</i>
LECCDE	93.98 ± 0.6	92.61 ± 0.5	91.88 ± 1.0	<i>t</i>

## 5 NUMERICAL RESULTS

In this section, we present our experimental results. Each algorithm, with the specified settings, was run for 20 independent runs, and the median and the variance of train, validation and test accuracy were collected. All the accuracy results are shown with a precision of two digits.

Table 2 shows the results obtained from the WBC dataset. In this case we could not observe a significant difference on the results of the ANNs evolved by the four algorithms. On the test data, the CCDE appears to be performing better than others. On the other hand, we observe a difference on the runtime of the algorithm ( $t = 322$  sec, in our computing environment<sup>2</sup>). The algorithms that employ Limited Evaluation and Cooperative Co-evolution are less computationally expensive and run faster. For example, the runtime of DE is more than twice as big as that of LECCDE. This difference is less significant for the other algorithms, due to the size of the dataset. Even though all the algorithms are run for 50000 FEs for this dataset, the algorithms with Limited Evaluation performed evaluation on batches that are four times smaller than the whole set of training instances. however, since CCDE is run on the whole dataset, it appears that the CC improved its runtime possibly due to the computations of reduced-sized vectors within each subpopulation.

Table 3 presents the results obtained from the ESR dataset. Based on the test data, CCDE appears to show better performance results than the rest of the algorithms, while LECCDE follows it very closely. We observe the best running time with LECCDE ( $t = 2970$  sec). For this dataset, the algorithms that run on the whole dataset had to perform evaluations on a number of instances that is six times bigger than the number of instances evaluated by the algorithms with the Limited Evaluation.

Table 4 shows the results obtained from the HAR dataset. On this dataset, we observe a significant accuracy improvement when the CC scheme is used. The performance of CCDE and LECCDE are approximately %15-20 better than the algorithms that do not use the CC. Also, CCDE appears to be slightly better than LECCDE.

<sup>2</sup>All algorithms were run, in single-core, on a E5 3.5GHz computer.

**Table 4: The median of the accuracy results of the ANNs evolved using four variants of DEs on the HAR dataset.**

Alg.	Train	Validation	Test	Runtime
DE	70.06 ± 2.9	70.06 ± 2.7	68.38 ± 3.0	4.75 × <i>t</i>
LEDE	77.5 ± 5.2	77.99 ± 4.8	76.96 ± 4.8	1.28 × <i>t</i>
CCDE	94.01 ± 0.8	92.72 ± 0.7	92.4 ± 1.0	4 × <i>t</i>
LECCDE	93.58 ± 0.6	93.19 ± 0.5	92.16 ± 0.7	<i>t</i>

On the other hand, we observe a significant runtime improvement when the LE scheme is used. The algorithms with the LE scheme run approximately four times faster than the algorithms that do not use LE ( $t = 6530$  sec). Also, LECCDE appears to produce the smallest variance on th train accuracy.

Finally, in Table 5, we report an additional experiment on the population size. In this case, we used a population size of 100, and obtained the results on the ESR dataset. When the population size increases (comparing to the Table 3), the accuracy results decrease. This may be due to the number of FEs needed for the convergence of the algorithm: in other words, when the population increases, the number of FEs needed for the convergence may increase. Moreover, we observe that CCDE and LECCDE perform significantly better than DE and LEDE. This may suggest that the CC increased the convergence speed. With respect to the running time of the algorithms, we observe the similar pattern observed in Table 3 ( $t = 2640$  sec).


Overall, CCDE appears to perform better than LECCDE due to the fact that it has the complete information for evaluating the individuals since it uses the entire set of training instances. However, CCDE comes with a larger runtime trade-off than LECCDE, which can make the difference with large datasets (e.g. for the HAR dataset the LECCDE runs on average four times faster). Also, increasing the number of evaluations or batch size can improve the performance of the LECCDE. For comparison, we performed two additional experiments with LECCDE, with the same settings used to produce the results in the Table 4, except the number of FEs and batch size. In the first experiment, we used 900000 FEs and observed that the ANNs the LECCDE optimize perform on training, validation and test sets on average 95.78, 94.31, and 93.28 respectively. This is almost %1 higher than the the performance observed in 4. On the other hand, the runtime of the algorithm is now  $1.6 \times t$ , which is still 1.8 times faster than the runtime of CCDE. In the second experiment, we used a batch size of 1000, and we observed that the algorithm performs on average 96.60, 93.84, and 93.38 on training, validation, and test datasets, with a runtime of  $1.42 \times t$ . These two additional experiments show an interesting trade-off between the batch size and the number of evaluations. Although the two additional experiments have similar runtime, the second experiment appears to produce better results.

Figure 1 shows the overall comparison of the runtime of LEDE, CCDE, and DE relative to LECCDE on the three datasets. The *x*-axis shows the dataset, and the *y*-axis shows the increase in the runtime of the algorithm. The LEDE is relatively stable across experimented datasets. On the other hand, the runtime of the CCDE and DE increases when the number of instances increases. This is because the algorithms with LE perform the same number of

**Table 5: The median of the accuracy results of the ANNs evolved using four variants of DEs on the ESR dataset using population size of 100.**

Alg.	Train	Validation	Test	Runtime
DE	81.99 ± 1.4	82.61 ± 1.2	80.65 ± 1.9	2.62 × <i>t</i>
LEDE	80.25 ± 1.4	81.59 ± 0.8	80.14 ± 2.2	1.30 × <i>t</i>
CCDE	91.65 ± 1.3	91.45 ± 0.7	90.29 ± 0.9	2.01 × <i>t</i>
LECCDE	91.27 ± 0.8	90.58 ± 0.7	88.99 ± 1.1	<i>t</i>


function evaluations, on a smaller number of instances, which produces a clear advantage in terms of total runtime.




**Figure 1: The increase in the runtime of each algorithm relative to the LECCDE on the three datasets.**

Figure 2 shows the accuracy trend of the ANNs on the training, validation, and test instances during one example run of the optimization process performed by LECCDE (only the range [0.8, 1] is shown on the *y*-axis, for the sake of clarity). The data collected from this specific run shows that the accuracy on the training data is almost always the highest. The accuracy results of the test data closely follows the validation accuracy, and it is even higher for some of generations.

Figure 3 shows the change of the validation accuracy during the evolutionary process of four algorithms on a single run (only the range [0.6 – 1] is shown on the *y*-axis). Firstly, the lines that represent the results of the LEDE and LECCDE are shorter than those of the other algorithms because they consume the same number of FEs within a half number of generations, since they perform two FEs (trial and target vectors) per generation. We observe that LEDE improves the DE in terms of validation accuracy and convergence speed; however, it suffers from the lack of diversity within the population (for a population size of 20), which prevents it from finding better solutions after about 80000 FEs are consumed. On the other hand, CCDE appears not to suffer from the early convergence problem observed in the LEDE, while LECCDE appears to improve the speed of CCDE.



**Figure 2: The change of the accuracy results of the ANNs on the training, validation, and test instances while the LEC-CDE algorithm is running.**



**Figure 3: A single run of the change of the validation accuracy during the evolutionary process of four algorithms on the HAR dataset.**

To summarize, our empirical analysis suggests positive answers to the questions posed in Section 4: (1) It appears more significantly on large dataset (in Table 4), or with a large population size (in Table 5), that the ANNs that are evolved using the CC scheme using our heuristic achieve a better classification accuracy than the ANNs that are evolved by the standard Differential Evolution algorithm; and (2) all experiments on the three datasets (most significantly on the largest dataset in Table 4), show that the Limited Evaluation scheme applied to Differential Evolution reduce the runtime of the algorithm considerably, without causing a degradation on the classification accuracy of the evolved ANNs.

## 6 CONCLUSIONS

In this work, we proposed a Limited Evaluation Cooperative Co-evolution Differential Evolution algorithm that employs the Limited Evaluation and Cooperative Co-evolution schemes to improve the accuracy and the runtime of the standard Differential Evolution algorithm for large-scale Neuroevolution with direct encoding.

We performed experiments on three datasets with various sizes. Our results show that the Cooperative Co-evolution scheme improves the performance of Differential Evolution on the tested classification tasks. Moreover, we used the Limited Evaluation scheme to further improve the scalability of the method. Our results show that the Limited Evaluation scheme reduces the runtime of the algorithms, without affecting the performance. This reduction is due to the fact that the evaluation is performed on a small number of instances.

We used a heuristic in the Cooperative Co-evolution scheme that decomposes the problem at the level of post-synaptic neurons. Thus, we evolve all the pre-synaptic weights of the post-synaptic neurons in different subpopulations. Although this heuristic worked well, there may also be other decomposition heuristics that can be more effective. Alternatively, automatic methods can also be used for this purpose.

Another possibility for improving the results can be achieved by performing a sensitivity analysis. In this work, we did not experiment on the strategy and the parameters settings of the Differential Evolution algorithm. Self-adaptive parameter control approaches can also be investigated to improve the performance of the results since these approaches can adjust the balance between the exploration and exploitation during the search process [5].


In future work, we aim to test the proposed methods on larger datasets (i.e. MNIST) and other kinds of ANN topologies, for instance used in Deep Learning, to assess their scalability. Finally, while the methods proposed here can evolve only the ANNs with fixed topologies, it will be useful to extend these methods also to the network topology optimization.

## A NEUROEVOLUTION

### A.1 Direct Genotype Mapping and Network Computation

An example of a feed forward network (FFN) is shown in Figure 4a where each node represents a neuron, and each edge represents a connection between two node, and the direction of each edge represents the direction of the information flow. A FFN consists of a number of *input* ( $i_1, i_2, i_3, b_1$ ), *hidden* ( $h_1, h_2, b_2$ ), and *output* ( $o_1$ ) neurons ( $b_1$  and  $b_2$  are bias neurons kept constant at 1) structured as input, hidden and output layers respectively (see Figure 4a). Inspired by biological neural networks, the connections between the neurons are often called *synapses*. A neuron that is at the starting point of the directional edge is called a *pre-synaptic neuron*, and the neuron that is at the end point (arrow) of the directional edge is called a *post-synaptic neuron*.

Figure 4b shows the genotype representation of the network given in Figure 4a. Each synaptic weight is mapped directly to a gene in the genotype. The genotype is divided into its subcomponents consisting of the pre-synaptic weights of each post-synaptic neuron.



**Figure 4: (a) A fully-connected feed-forward artificial neural network with one hidden layer, and (b) the representation of its genotype.**

The activation of each neuron is updated using the Equation (3) where  $a_i$  is the activation of a post-synaptic neuron,  $a_j$  is the activation of the  $j$ th pre-synaptic neuron and  $w_{i,j}$  is the connection weight from the pre- to post-synaptic neurons,  $b_i$  is the bias of the post-synaptic neuron, and  $\psi$  is an activation function given in (4) [6].

$$a_i = \psi \left( \sum_j w_{i,j} \cdot a_j + b_i \right) \quad (3)$$

$$\psi(x) = \frac{2}{1 + e^{-2x}} - 1 \quad (4)$$

## A.2 Limited Evaluation

When the evaluation is performed episodically on a small subset of the whole training instances (batches), it is required to keep track of the individuals that performed well on the previous episodes. The Limited Evaluation scheme aims to adjust the fitness of the offspring by taking into account the success of its parents by fitness inheritance. The fitness reproduction rule can be *sexual* or *asexual*. The sexual and asexual reproduction rules are provided in Equations (5) and (6) respectively [21].

$$f' = f_{parent} \cdot (1 - decay) + f \quad (5)$$

$$f' = \frac{f_{parent_1} + f_{parent_2}}{2} \cdot (1 - decay) + f \quad (6)$$

where,  $f'$  is the adjusted fitness of the offspring,  $f_{parent}$  is the parent of its parent,  $f$  is the actual fitness of the offspring on current batch of the training instances, and  $decay$  is a constant value for adjusting the weight of the previous fitness evaluations. The sexual reproduction method consists of two parents.

## ACKNOWLEDGMENTS



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No: 665347.

## REFERENCES

- [1] Ralph G Andrzejak, Klaus Lehnertz, Florian Mormann, Christoph Rieke, Peter David, and Christian E Elger. 2001. Indications of nonlinear deterministic and finite-dimensional structures in time series of brain electrical activity: Dependence on recording region and brain state. *Physical Review E* 64, 6 (2001), 061907.
- [2] Davide Anguita, Alessandro Ghio, Luca Oneto, Xavier Parra, and Jorge Luis Reyes-Ortiz. 2013. A Public Domain Dataset for Human Activity Recognition using Smartphones. In *ESANN*.
- [3] Léon Bottou. 2010. Large-scale machine learning with stochastic gradient descent. In *Proceedings of COMPSTAT'2010*. Springer, 177–186.
- [4] Matej Črepinšek, Shih-Hsi Liu, and Marjan Mernik. 2013. Exploration and exploitation in evolutionary algorithms: A survey. *ACM Computing Surveys (CSUR)* 45, 3 (2013), 35.
- [5] Swagatam Das, Sankha Subhra Mullick, and Ponnuthurai N Suganthan. 2016. Recent advances in differential evolution—an updated survey. *Swarm and Evolutionary Computation* 27 (2016), 1–30.
- [6] Leandro Nunes De Castro. 2006. *Fundamentals of natural computing: basic concepts, algorithms, and applications*. CRC Press.
- [7] Dario Floreano, Peter Dürri, and Claudio Mattiussi. 2008. Neuroevolution: from architectures to learning. *Evolutionary Intelligence* 1, 1 (2008), 47–62.
- [8] David B Fogel, Lawrence J Fogel, and VW Porto. 1990. Evolving neural networks. *Biological cybernetics* 63, 6 (1990), 487–493.
- [9] Faustino Gomez, Jürgen Schmidhuber, and Risto Miikkulainen. 2008. Accelerated neural evolution through cooperatively coevolved synapses. *Journal of Machine Learning Research* 9, May (2008), 937–965.
- [10] Faustino John Gomez. 2003. *Robust non-linear control through neuroevolution*. Ph.D. Dissertation. University of Texas at Austin USA.
- [11] Frédéric Gruau. 1994. Automatic definition of modular neural networks. *Adaptive behavior* 3, 2 (1994), 151–183.
- [12] Giorgos Karafotias, Mark Hoogendoorn, and Ágoston E Eiben. 2015. Parameter control in evolutionary algorithms: Trends and challenges. *IEEE Transactions on Evolutionary Computation* 19, 2 (2015), 167–187.
- [13] Hiroaki Kitano. 1990. Designing neural networks using genetic algorithms with graph generation system. *Complex systems* 4, 4 (1990), 461–476.
- [14] Jan Koutník, Faustino Gomez, and Jürgen Schmidhuber. 2010. Evolving neural networks in compressed weight space. In *Proceedings of the 12th annual conference on Genetic and evolutionary computation*. ACM, 619–626.
- [15] Yann LeCun, Yoshua Bengio, and Geoffrey Hinton. 2015. Deep learning. *nature* 521, 7553 (2015), 436.
- [16] M. Lichman. 2013. UCI Machine Learning Repository. (2013). <http://archive.ics.uci.edu/ml>
- [17] Yong Liu, Xin Yao, Qiangfu Zhao, and Tetsuya Higuchi. 2001. Scaling up fast evolutionary programming with cooperative coevolution. In *Evolutionary Computation, 2001. Proceedings of the 2001 Congress on*, Vol. 2. Ieee, 1101–1108.
- [18] Sedigheh Mahdavi, Mohammad Ebrahim Shiri, and Shahryar Rahnamayan. 2015. Metaheuristics in large-scale global continues optimization: A survey. *Information Sciences* 295 (2015), 407–428.
- [19] Risto Miikkulainen, Jason Liang, Elliot Meyerson, Aditya Rawal, Dan Fink, Olivier Francon, Bala Raju, Arshak Navruzyan, Nigel Duffy, and Babak Hodjat. 2017. Evolving deep neural networks. *arXiv preprint arXiv:1703.00548* (2017).
- [20] David Eric Moriarty. 1997. *Symbiotic evolution of neural networks in sequential decision tasks*. Ph.D. Dissertation. University of Texas at Austin USA.
- [21] Gregory Morse and Kenneth O Stanley. 2016. Simple evolutionary optimization can rival stochastic gradient descent in neural networks. In *Proceedings of the Genetic and Evolutionary Computation Conference 2016*. ACM, 477–484.
- [22] Ferrante Neri and Ville Tirronen. 2010. Recent advances in differential evolution: a survey and experimental analysis. *Artificial Intelligence Review* 33, 1-2 (2010), 61–106.
- [23] Mohammad Nabi Omidvar, Xiaodong Li, Yi Mei, and Xin Yao. 2014. Cooperative co-evolution with differential grouping for large scale optimization. *IEEE Transactions on evolutionary computation* 18, 3 (2014), 378–393.
- [24] Mitchell A Potter and Kenneth A De Jong. 1994. A cooperative coevolutionary approach to function optimization. In *International Conference on Parallel Problem Solving from Nature*. Springer, 249–257.
- [25] Kenneth Price, Rainer M Storn, and Jouni A Lampinen. 2006. *Differential evolution: a practical approach to global optimization*. Springer Science & Business Media.
- [26] Esteban Real, Sherry Moore, Andrew Selle, Saurabh Saxena, Yutaka Leon Suenatsu, Quoc Le, and Alex Kurakin. 2017. Large-scale evolution of image classifiers. *arXiv preprint arXiv:1703.01041* (2017).

- [27] Tim Salimans, Jonathan Ho, Xi Chen, and Ilya Sutskever. 2017. Evolution strategies as a scalable alternative to reinforcement learning. *arXiv preprint arXiv:1703.03864* (2017).
- [28] Yan-jun Shi, Hong-fei Teng, and Zi-qiang Li. 2005. Cooperative co-evolutionary differential evolution for function optimization. In *International Conference on Natural Computation*. Springer, 1080–1088.
- [29] Kenneth O Stanley. 2007. Compositional pattern producing networks: A novel abstraction of development. *Genetic programming and evolvable machines* 8, 2 (2007), 131–162.
- [30] Kenneth O Stanley, David B D'Ambrosio, and Jason Gauci. 2009. A hypercube-based encoding for evolving large-scale neural networks. *Artificial life* 15, 2 (2009), 185–212.
- [31] Kenneth O Stanley and Risto Miikkulainen. 2002. Evolving neural networks through augmenting topologies. *Evolutionary computation* 10, 2 (2002), 99–127.
- [32] Rainer Storn and Kenneth Price. 1997. Differential evolution—a simple and efficient heuristic for global optimization over continuous spaces. *Journal of global optimization* 11, 4 (1997), 341–359.
- [33] Yuan Sun, Michael Kirley, and Saman K Halgamuge. 2017. A Recursive Decomposition Method for Large Scale Continuous Optimization. *IEEE Transactions on Evolutionary Computation* (2017).
- [34] Darrell Whitley, Stephen Dominic, Rajarshi Das, and Charles W Anderson. 1993. Genetic reinforcement learning for neurocontrol problems. *Machine Learning* 13, 2-3 (1993), 259–284.
- [35] Darrell Whitley, Timothy Starkweather, and Christopher Bogart. 1990. Genetic algorithms and neural networks: Optimizing connections and connectivity. *Parallel computing* 14, 3 (1990), 347–361.
- [36] Zhenyu Yang, Ke Tang, and Xin Yao. 2008. Large scale evolutionary optimization using cooperative coevolution. *Information Sciences* 178, 15 (2008), 2985–2999.
- [37] Xingwen Zhang, Jeff Clune, and Kenneth O Stanley. 2017. On the Relationship Between the OpenAI Evolution Strategy and Stochastic Gradient Descent. *arXiv preprint arXiv:1712.06564* (2017).